



Lonavala Municipal Council

Lonavala, Maval, Dist. Pune 410 401

Tel: Chairman (02114) 273763/ Chief Executive 273764. Deputy Chief 275464
Office 275463, Fax (02114) 275463 E-mail: lmc1877@gmail.com


LONP 12/ANAHDA/2023-24/1168

Dated :- 08/06/2023

Health and Sanitisation certificate

Kaivalyadham Vidya Niketan, Principal - Mrs. Varsha Desai, R. S. No. 32 CTS No. 150, Kaivalyadham, Ward, Valavan - Lonavala, Tal. - Maval, Dist - Pune, for the school **Kaivalya Vidya Niketan** in this property, a written application dated **16/05/2023** has sought a NOC. Accordingly, the **Health Certificate** is being issued for the school on the following terms and conditions.

1. The premises of the school should be kept plastic free
2. Open spitting; open littering should be banned in school premises. Also, flexes should be applied to beautify the area.
3. In school toilets adequate water, hand wash, light, windows, dustbin etc.. should be available.
4. School toilets should be kept clean and tidy.
5. Follow the rules of Covid 19 in the school. And also, hand gloves given to the employees should be used to separate the waste and should be disposed of according to the waste regulation.
6. Sanitizers, masks and also thermal scanning of the employees should be done in the school.
7. Boards regarding Swachh Survekshan 2023-24 should be put up in the school and the message about it should be painted on the walls.
8. A register of complaints regarding cleanliness should be kept in the school.
9. The employees working in the school should undergo medical examination every six months and submit the certificates.
10. The drinking water storage tank in the school should be cleaned from inside once a week.
11. Regular cleaning should be maintained in the school.
12. Fire prevention measures should be taken in the school
13. STP should be provided in the school to manage septic tank and bathroom waste water.
14. Utensils used for cooking food should be cleaned with soap and hot water.
15. The Municipal Solid Waste (Management and Handling) Rules, 2016 should be followed.
16. Biogas plant/OWC should be set up to generate zero waste.
17. Extinguishers kept for fire prevention measures should be in good condition.



18. If unauthorized construction is found in the school, the health certificate will be cancelled.
19. The license obtained from the government should be renewed regularly.
20. The license obtained from the government should be renewed regularly.

The above mentioned terms and conditions should be strictly followed. Please note that the health certificate issued to you may be revoked without any prior written notice in case of breach of any of the terms and conditions by you.

The certificate is issued for one year from the given date.

Chief Executive
Lonavala Municipal Council

To,

Hon. Principal Mrs. Varsha Desai (Kaivalya Vidya Niketan)
R.S. No. 32, CTS NO. 150, Kaivalyadham.,
Ward Valvan, Lonavala, Maval Dist. - Pune



BEFORE ME

SADASHIV GANPATRAO SHINDE
NOTARY, GOVT. OF INDIA
DIST. PUNE

Name _____
NOTED & REGISTERED
Sr.No 809/2023

13 JUL 2023